


## **ADAPTORS**


ARMS + ADAPTORS




Our Adaptors are constructed of square or round steel tubing (11G) with a 2-3/8" OD tenon. Each adaptor is secured with 3/8" stainless steel Allen Set Screws and use black plastic snap-in

end caps. Consult factory for a custom configuration or other mounting options.











## ADAPTOR ORDERING GUIDE

Cat#	Pole Diameter	Color
Slip Over Adaptor Square (SOAS)	3" SQ <b>(3S)</b>	Bronze Textured (BRZ)
Slip Into Adaptor Square (SIAS)	31/2" SQ (312S) 4" SQ (4S) 41/2" SQ (412S) 5" SQ (5S) 51/2" SQ (512S)	White Textured (WHT)  Smooth White Gloss (SWT)  Silver Metallic (SVR)  Black Textured (BLK)  Smooth Black Gloss (SBK)  Graphite Textured (GPH)
Slip Over Adaptor Round (SOAR)	2³/₅" OD <b>(238R)</b>	Grey Textured (GRY) Green Textured (GRN)
Slip Into Adaptor Round (SIAR)	3" OD <b>(3R)</b>	Hunter Green Textured (HGN)
	3 <sup>1</sup> /2" OD <b>(312R)</b>	Custom (CS)
	4" OD <b>(4R)</b>	
	4 <sup>1</sup> / <sub>2</sub> " OD <b>(412R)</b>	
	5" OD <b>(5R)</b>	
	5 <sup>1</sup> / <sub>2</sub> " OD <b>(512R)</b>	

Notes:



## **TENON ADAPTOR ORDERING GUIDE**

Cat#

Mounting

Color

Tenon Adaptor Square Over 2<sup>3</sup>/<sub>8</sub>" OD tenon **(TAS)** 

Tenon Adaptor Round Over 2<sup>3</sup>/<sub>8</sub>" OD tenon **(TAR)** 

Single (SGL)

Double 90° (D90)

Double 180° (D180)

Triple 90° (T90)

Triple 120° (T120) •

Quad (QD)

Bronze Textured (BRZ)

White Textured (WHT)

Smooth White Gloss (SWT)

Silver Metallic (SVR)

Black Textured (BLK)

Smooth Black Gloss (SBK)

Graphite Textured (GPH)

Grey Textured (GRY)

Green Textured (GRN)

Hunter Green Textured (HGN)

Custom (CS)

Notes:

Available in Round only

