


ARCHITECTURAL ARM 4

ARMS



Architectural Arm 4 is constructed of extruded aluminum tubing. Integrates with poles or tenons of 3-1/2", 4", 4-1/2", or 5" OD and is secured with 3/8" stainless steel Allen set screws.

Contact NLS for custom configuration or others mounting options. Arms are designed, tooled, fabricated and assembled in the USA.



A⁴ Single





A⁴ Single



A⁴ Wall Mount







ARCHITECTURAL ARM 4 ORDERING GUIDE


Cat#	Mounting Pole Diameter		Color		
Architectural Arm 4 Small (A4-S)	Single (SGL)	3" Round OD (3R)	Bronze Textured (BRZ)		
Architectural Arm 4 Large (A4-L)	Double 180° (D180)	4" Round OD (4R)	White Textured (WHT)		
, ,	Wall Mount	4-1/2" Round OD (412R)	Smooth White Gloss (SWT)		
	(WM)	5" Round OD (5R)	Silver Metallic (SVR)		
			Black Textured (BLK)		
			Smooth Black Gloss (SBK)		
			Graphite Textured (GPH)		
			Grey Textured (GRY)		
			Green Textured (GRN)		
			Hunter Green Textured (HGN)		
			Custom (CS)		

Notes:
























WM Drill Patterns









MODEL	A	В	С	D	E	EPA SGL	EPA DBL	EPA WM
A4-S	17 in.	30 in.	1 ⁷ /8" Ø (1-1/2 in. SCH40)	N/A	N/A	.40	-	-
A4-S-WM	17 in.	25 in.	1 ⁷ /8" Ø (1-1/2 in. SCH40)	16 in.	6 in.	-	-	.31
A4-L	26 in.	38 in.	1 ⁷ /8" Ø (1-1/2 in. SCH40)	N/A	N/A	.61	.95	-
A4-L-WM	26 in.	33 in.	1 ⁷ /8" Ø (1-1/2 in. SCH40)	24 in.	7 in.	-	-	.53

MODEL ALUMINUM		STEEL			
A4-S	7.51 lbs	21.89 lbs			
A4-S-WM	7.67 lbs	22.35 lbs			
A4-L	13.84 lbs	40.33 lbs			
A4-L-WM	12.77 lbs	37.20 lbs			

