

### **DRIVING YOUR SUCCESS**

Located in Southern California, NLS Lighting, LLC is a service-driven leader in the design and manufacture of high-quality architectural and commercial LED luminaires; all proudly made in the USA. NLS' state-of-the-art silicone optics are optimized for automotive dealerships, including perimeter display, interior display, and pad lighting. They are adaptable to a variety of pole spacings and mounting heights. By focusing on performance and efficiency, NLS Lighting's solutions deliver significant energy savings while making your vehicle inventory stand out. Backed by a team of qualified outdoor lighting professionals with decades of design expertise, NLS Lighting delivers Intelligent Light + Performance® trusted by hundreds of dealerships nationwide.



## **Focus On What's Important**

- 1 Front Row AreaAttract the attention of prospective customers
- 2 Main Lot Interior

  Create a safe, secure area with well merchandised vehicles
- 3 Showroom Main Entrance
  Invite customers into the showroom

- 4 Service Area

  Create a safe and productive space for your employees
- 5 Inventory Lot
  Safe and secure lighting that's energy efficient
- **6 Lot Entry**Ensure your customers are safe from vehicle traffic



# **Optimized Performance for Dealerships**



#### **Front Row Perimeter Display**

(T4A) Highest Light Levels along front line while throwing the highest light levels deep into the dealership and on second row of vehicles.



#### Interior Display & Inventory Security

(T5W) Provides highest horizontal and vertical light levels throughout the display and security lighting zones.



#### Perimeter Inventory Security & Employee Parking

(T4FTW) Eliminates the need for interior poles in the back of the dealership while providing IES recommended inventory light levels.



#### **Perimeter Wide Display**

(T2) Intended for wide pole spacings 60 foot and beyond when fixtures are mounted at 20 foot and under.



#### **Perimeter Display Pads**

(15°) Enables cars to be highlighted on raised display pods from up to 50 feet away using the same perimeter display poles.

Each NLS Dealership luminaire distribution features our silicone optic longevity system when it comes to maintaining initial light levels. Competitors Acrylic and Polycarbonate lenses yellow or chalk blocking light from the optic chamber creating excessive heat which results in accelerated and unpredictable light depreciation lowering light levels and shortening the usable life of the installation. Acrylic and Polycarbonate lenses are not warranteed by most reputable outdoor lighting manufacturers for even one year. Dealership fixtures are typically high wattage and operate at higher temperatures where silicone optics are truly a benefit and a must for dealership owners.

#### THE LASTING LED LIGHTING SOLUTION

DOW CORNING LENS YELLOWING CHART

Silicone Polycarbonate Acrylic

Initial 6,000 Hrs. UV Aging (65° C)

6,000 Hrs. Heat Aging (130° C)



# Superior Interior Lot Coverage

For large interior spaces where typical car lots have dips in footcandles, we use our new Type 5 wide optic at any size depending on your required light level. A longevity light level solution based on silicone lenses which are never yellow or chalk enables the LED light source to operate cool with minimal depreciation compared to competition.



## 10% to 20%+ Fewer Poles On A Typical New Installation

While lighting system costs for new construction vary by application and job site specifics, NLS Lightings' new optical systems deliver industry leading performance and reduce overall lighting costs by increasing the distance between the luminaires and their associated poles without compromising photometric performance, safety, security, and energy efficiency.

NLS T5W Competitor's T5W







# REDUCE ENERGY BY 65% + DOUBLE TO TRIPLE THE LIGHT LEVELS


Our goal on retrofit projects is to optimize the layout of your dealership to conserve energy, maximize light levels and help you sell more cars! NLS Lighting has designed and sold hundreds of car dealerships and understand what it takes to create that wow factor.

## NLS LIGHTING SPECIALIZES in saving you money

Glare guards and Agnostic Controls compatible with most control systems and sensors

- Direct light where it's needed
- Sustainable / long lasting construction
- Integral motion sensor lighting controls provide security and ensure lights are only on when needed





# FORM & FUNCTION MEET RELIABILITY

#### RELIABILITY

- IP67 Optical compartment seals out moisture, dust, and all other contaminants
- Silicone optics will not yellow, crack, or chalk like competitors polycarbonate, acrylic, or PMMA optics which cause premature high rates of exponential depreciation
- L70 LED Depreciation Rate of 173,000 Hours combined with silicone optics ensure a lifetime of bright levels

#### DISTRIBUTIONS

Front Row Perimeter Display (T4A), Interior Display & Inventory Security (T5W), Perimeter Inventory Security & Employee Parking (T4FTW), Perimeter Wide Display (T2), Perimeter Display Pads (15°)

#### DARK SKY COMPLIANT

NLS Luminaires thrive next to residential, commercial, or private properties. Our full perimeter cut-off design keeps light levels exactly where they need to be

#### MATERIAL & INSTALLATION SAVINGS

Use 10-20% fewer Poles and Fixtures without sacrificing light levels or uniformity

#### **ENERGY SAVINGS**

NLS Luminaires provide equivalent foot candles while using less wattage than competitors

#### UNIFORM LIGHT DISTRIBUTION

Optical system provides vertical and horizontal lumens creating an even light distribution

#### AMERICAN QUALITY

NLS fixtures are designed and assembled in the United States, adhering to the strictest Made in the U.S.A. requirements. DLC and UL listed

#### POLES

NLS Lighting manufactures our own poles which ensures an exact color match and our attention to detail. We also offers banner arms to increase the promotion of your dealership.





# DEALERSHIP APPLICATIONS

### FRONT ROW HIGH ILLUMINATION SALES LOT

**NV-3-ASA** 420W - 790W

> **NV-2-ASA** 168W - 467W

**INVENTORY** & STORAGE

ORX-3-AM

88W - 452W

**NV-1-ASA** 



## **SECURITY** & SERVICE







**NV-WALL PACK** 21W - 100W



**NV-WALL PACK 2** 99W - 205W



**AVSL-2F AVSL-4F** 20W - 61W 32W - 89W

## **ACCENT FLOOD** LIGHTING

& WALL WASH



NV-F1 20W - 45W



ORX-F1 22W - 55W



## **SERVICE** SERVICE ENTRANCE

& WALKWAYS





**PATHWAY SAFETY** LIGHTING

21W - 35W



ORX-B 18W - 55W



